

DEFENSE



CATALOGUE 2004

TRADITION OF INNOVATION [www.carl-walther.de](http://www.carl-walther.de)



# INTRO


For over a century, CARL WALTHER has set new standards in the design and manufacture of law enforcement firearms. Working closely with German police firearms experts, the company's products have been produced to the most stringent standards. Safety and quality are the true tests of a police firearm. CARL WALTHER uses the experience we have gained in the law enforcement market to develop products for the police and competition markets. WALTHER sporting weapons have been the competitor's choice in international competition ever since they first appeared in the Olympic Games.

In 1993, a new chapter in the rich WALTHER history was written as WALTHER merged with the UMAREX Corporate Group. This merger was the cornerstone for the worldwide success of the WALTHER brand, and the continued growth of the WALTHER name.

One sign of this growth is the new manufacturing facility being constructed on the original operating site near Ulm, Germany. This factory, scheduled to be completed here by mid-2005 will be more than 5,000 m or 54,000 sq. ft. of floor space, providing room for modern equipment, training facilities and police firing ranges. The weapons of tomorrow are becoming reality today, due in large part to our investment in the future.

## The UMAREX Group of Companies

- UMAREX Sportwaffen GmbH & Co. KG
- Carl WALTHER GmbH Sportwaffen
- FÜRSTENBERG GmbH
- UMAREX Österreich Ges.m.b.H. & Co. KG
- PW ARMS Dortmund GmbH & Co. KG
- UMAREX Moskau Gu AG
- PW ARMS Wien GmbH & Co. KG



WALTHER has forged strategic alliances with several strong partners in an effort to achieve greater success in the international law enforcement market. WALTHER police pistols must meet the highest standards of quality with unsurpassed fit, finish, reliability and durability. Law enforcement professionals have provided assistance in developing our product specifications in order to meet the needs of today's police officer.

**STRATEGIC** |  **Smith & Wesson®**  
 | **ALLIANCE**

WALTHER has partnered with another recognizable firearm brand, Smith & Wesson to manufacture the Smith & Wesson SW99 line of pistols. Based on the proven WALTHER P99 platform, WALTHER and Smith & Wesson have been co-producing the P99 for four years. Smith & Wesson is also under license to manufacture the legendary WALTHER PPK and PPK/S pistols. An alliance has also been formed with the "Fabryka Broni", another partner with a long manufacturing tradition. There the WALTHER P99 is manufactured too as a custom-made co-produced pistol to serve the Polish law enforcement market.

CARL WALTHER continues its long tradition of technical expertise in the design and production of firearms, and the worldwide recognition of the WALTHER brand name.

**Index**

P99 .....	04
P99 QA .....	06
P99 AS .....	08
P99 DA0 .....	09
P99 Compact .....	10
P99 accessories .....	12
PPK + PPK/S .....	14
P22 .....	16
P22 accessories .....	18
G22 .....	20
G22 accessories .....	22
G22 sets .....	24
P99 Collector's series ..	26
Knives .....	27
Flashlights .....	27



# P99

## Tradition of Innovation

The highly successful P99 Series was developed in conjunction with technical experts from a number of law enforcement agencies.

The result is a state of the art product line, designed for use in modern police tactics. The P99 series offers the law enforcement professional a number of special features and various trigger mechanisms to meet the agencies needs. The line includes both full size and compact models for both uniform and undercover use.

## The P99 Series is the only hammerless pistol available to offer three trigger options:

### P99 AS Anti Stress

Traditional double action and single action modes, and the added feature of the anti-stress trigger position which is engaged after reloading.

### P99 DAO Double Action Only

The striker is at rest with no preload for a long smooth trigger pull. The pull is consistent in length and force from the first shot to the last.

### P99 QA Quick Action

Partially preloaded striker provides a uniform short light trigger pull. This variation is a favorite among many sportsmen and police tactical units.

## Compact versions

All the trigger mechanisms are also available in the P99 C compact versions. The compact has all of the same features and options as the full size pistol. One fire control system can outfit the entire department reducing training expenses for the law enforcement department.

## Use

Both left-handed and right-handed shooters will appreciate the ambidextrous controls of the P99. The slide stop, magazine release and decocking button can be operated easily by all shooters, without the need to reposition the pistol in your hand.

## Quality

A special Tenifer finish is applied to all external part surfaces to provide an extremely hard and durable surface, resistant to wear and abuse.

## Maximum safety

Each P99 is inspected and tested to insure it meets the rigid standards set by the German police. The legendary WALTHER quality guarantees the user safe and reliable operation each and every time.



## Internal firing pin lock with many advantages

- No external hammer to snag on clothing or other object while drawing from a holster
- No external parts to be damaged in the event of accidental dropping
- Fewer parts for reduced weight and size
- Modular design for easier maintenance
- Quick trigger reset for faster shooting speed
- Easy field-stripping without the need for external tools
- No external safeties necessary for quicker drawing

## Technology and equipment

### 01 Loaded chamber indicator

**Unloaded:** The extractor is flush with the slide (can be seen and felt).

**Loaded:** The red marker is visible; the extractor is recessed in the slide (can be seen and felt).

### 02 Cocking indicator

**Decocked:** The firing pin is recessed into the slide end cap (can be seen and felt).

**Cocked:** The firing pin projects from the slide end cap (can be felt) and shows a red mark (visible).

### 03 Interchangeable backstrap

Manufactured from a recoil-damping compound and available in three sizes for a customized fit and feel.

### 04 Ambidextrous magazine release

Integrated into the side of the trigger guard for an unique look.

### 05 Weaver equipment rail

A new feature for the quick attachment of lights and lasers.

### 06 Improved slide serrations

For a positive grip on the slide and improved slide racking.





# P99 QA

## Quick Action

**Trigger mechanism: Pre-cocked striker system**




The P99 Quick Action, with its uniform short trigger pull is the pistol of choice for both-law enforcement tactical teams and competitive shooters.

The P99 QA is easy to use with its repetitive trigger pull and with its four independent safeties; the P99 QA is one of the safest pistols available today.

## Lightning-fast firing

The Quick Action trigger system: The striker is partially pre-cocked and when the trigger is pulled, the striker is fully cocked and released, firing the pistol. The trigger travel is approximately 8 mm with a trigger force of approximately 3,800 grams. This short pull with its quick reset provides quick shot delivery especially in competitive situations.




**WALTHER AROUND THE WORLD**

*WALTHER firearms are in service in Canada as well. The **Montreal Police** have adopted the **P99 Quick Action**.*

## Technical data P99 QA


Caliber	9 mm x 19	.40 S&W
Barrel Length inch (mm)	4 (102)	4.17 (106)
Dimensions mm, L/H/W	180/135/32	184 / 135 / 32
Weight g, without magazine	605	655
Sights	3-dot adjustable	3-dot adjustable
Magazine Capacity	15	11
Trigger	QA	QA
Trigger Weight g	3,800	3,800



## Disassembly

The P99 QA is the only hammerless pistol with a partially pre-cocked striker capable of being disassembled without the need to pull the trigger. Simply remove the magazine, clear the chamber, press the takedown button, pull down the takedown catch and remove the slide

**Elongated ambidextrous slide stop**  
optional with the P99 QA model





**P99 QA**

268 16 41	cal. 9 mm
268 18 38	cal. .40 S&W

Standard design with plastic rear sight, single-sided slide stop lever



**P99 QA**

266 28 33	double-sided slide stop	cal. 9 mm
-----------	-------------------------	-----------

Law enforcement design. With steel rear sight and ambidextrous slide stop



**P99 QA Titanium**

268 95 02	cal. 9 mm
268 95 70	cal. .40 S&W

The distinctive appearance of the silver-gray titanium coating provides superior resistance to abuse and corrosion



# P99 AS

## Anti Stress

### Trigger mechanism:

#### Traditional Double Action with an Anti Stress mode

As the first pistol equipped with a firing pin lock, the P99 AS combines the advantages of the traditional Double Action System with Single Action Anti Stress trigger. The P99 provides the shooter with a user-friendliness previously found only in hammer fired pistols.

#### Extended trigger excursion

The anti stress trigger makes the P99 one of the world's safest firearms by preventing unintentional "reflex" firing in stressful situation. The decisive innovation:

When the slide is racked completely to the rear upon loading, the trigger remains in the forward position for the first shot; not only in the double action trigger mode, but also in the single action mode. The trigger travel is 14 mm long in the anti stress mode (at 2,000 g trigger force), preventing inadvertent firing. On all subsequent shots, the trigger travel is reduced to 8 mm (at the same trigger force) and this permits firing in rapid sequence, due to the quick reset of the P99 trigger.

#### Enhanced safety

The P99 AS is equipped with a decocking button to safely decock the striker. It acts as an automatic safety and cannot snag on clothing even if the gun is drawn quickly, because it is integrated directly into the slide.



### P99 AS

268 15 52	cal. 9 mm
268 17 65	cal. .40 S&W

#### Technical data P99 AS

Caliber	9 mm x 19	.40 S&W
Barrel Length inch (mm)	4 (102)	4.17 (106)
Dimensions mm, L/H/W	180/135/32	184/135/32
Weight g, without magazine	605	655
Sights	3-dot adjustable	3-dot adjustable
Magazine Capacity	15	11
Trigger	DA/SA	DA/SA
Trigger Weight g	4,000/2,000	4,000/2,000



### Andrzej Kurowski

NATIONAL POLICE POLAND  
LOGISTIC DEPARTMENT OF  
THE POLICE HEADQUARTERS  
CHIEF OF DIVISION



»Between 2001 and 2003, the Polish Police conducted extensive testing and selected the WALTHER P99 Anti Stress with Double and Single Action triggers for duty use. The P99 AS is the perfect package to ensure full reliability for law enforcement use.«

**Decocking lever**  
allows safe decocking  
of the striker



# P99 DAO

## Double Action Only

### Trigger mechanism: Double Action Only

The Double Action Only trigger mechanism in the P99 guarantees a consistent trigger force of approximately 3,800 g with a trigger travel of 14 mm, from the first shot to the last. The striker of the P99 DAO is always in the at rest position with no pre-load.

### Safe handling

Three built-in safety systems insure that a shot can be fired only if the trigger is intentionally pulled completely to the rear.

The weapon can be safely holstered after the shot. No additional steps are required; and no additional safeties need to be engaged.

This safe and simple design concept reduces training time and effort and has convinced an ever-increasing number of users that the P99 DAO is an ideal trigger system.

All P99 DAO pistols come standard with both-an ambidextrous slide stop, and steel rear sights.





### P99 DAO

266 29 81	cal. 9 mm
268 96 26	cal. .40 S&W

### Technical data P99 DAO

Caliber	9 mm x 19	.40 S&W
Barrel Length inch (mm)	4 (102)	4.17 (106)
Dimensions mm, L / H / W	180 / 135 / 32	184 / 135 / 32
Weight g, without magazine	605	655
Sights	3-dot fixed, steel	3-dot fixed, steel
Magazine Capacity	15	11
Trigger	DA Only	DA Only
Trigger Weight g	3,800	3,800



**Denis Renaud**  
FIREARMS INSTRUCTOR  
QUEBEC CITY POLICE

»The P99 DAO has replaced all the revolvers previously used. The low amount of training required, the safe DA Only trigger, excellent ergonomics and highly reliable functioning were what convinced us.«



**Elongated ambidextrous slide stop**  
Standard in the P99 DAO



# P99 COMPACT

## The compact pistols for concealed carry

Today's trend is toward pistols that are compact in design and light in weight, yet have all of the features that the law enforcement professional is seeking.

## System identical with the full size models

The P99 compact has the same highly advanced design features of the full size P99, but in a size that is designed for concealed carry. Just like the full size version, the compact P99 is available with same trigger variations including the QA, AS and DAO. The frame backstraps are interchangeable so that the pistol will fit in a wide variety of hand sizes. The pistol will not snag in clothing when it is drawn, thanks to rounded edges.

The hammerless striker system and safety devices integral to the P99 are also available in the P99 compact.

All the compact versions are delivered, as standard equipment, with a flat-bottom magazine butt plate and a finger rest magazine butt plate. The frame is molded with a Weaver-style rail to accept lights and lasers.

The new P99 compact is the ideal compliment to the P99 full size line of pistols. Perfect for concealed carry or as a backup weapon for law enforcement.



### P99 Compact DAO

267 95 82

cal. 9 mm

Like all DAO models, the P99 C comes standard with steel sights and ambidextrous slide stop. The DAO trigger ensures maximum safety and is ready for immediate firing in a self-defense situation.



### P99 Compact AS

268 18 97

cal. 9 mm

With the Anti Stress SA/DA mechanism, the P99 compact AS can be loaded and carried decocked. In this mode, the P99 compact provides a double action first shot followed by a shorter lighter single action second shot.



## Technical data

Model	P99 C AS	P99 C QA	P99 C DAO
Caliber	9 mm x 19	9 mm x 19	9 mm x 19
Barrel Length inch (mm)	3.5 (90)	3.5 (90)	3.5 (90)
Dimensions mm L / H / W	168 / 110 / 32	168 / 110 / 32	168 / 110 / 32
Weight g, without magazine	530	530	545
Sights	3-dot adjustable	3-dot adjustable	3-dot fixed, steel
Magazine Capacity	10	10	10
Trigger	DA / SA	QA	DA Only
Trigger Weight g	4,000 / 2,000	3,800	3,800



Size comparison  
between  
full size and  
compact version



### P99 Compact QA

268 19 35

cal. 9 mm

The 3,800 gram trigger weight and 8 mm trigger travel and short trigger reset, assure the user of rapid firing rates and spectacular accuracy even from a short barrel pistol.



# P99

## Accessories for police service

All of the accessories for the WALTHER P99 have been tested to insure that they meet the same stringent quality standards that are applied to every WALTHER pistol. Only the highest quality suppliers are selected to be WALTHER suppliers.



**01 P99 leather holster**  
 263 92 62 Defense model  
 263 86 49 Universal model



**02 P99 belt holster**  
 Made of polymer  
 266 76 31



**03 P99 paddle holster**  
 Made of polymer  
 266 44 53



08



09



**04 LPA marksmanship**  
 Adjustable sights, windage and elevation adjustable  
 265 59 00



**05 Metal sights (front and rear sights)**  
 Fixed with windage adjustable rear, 3-dot  
 267 79 03



**06 Tritium night sights**  
 Rear sight orange, front sight green, Fixed with windage adjustable rear, 3-dot  
 265 14 25



**07 LPA reflex P99 sights**  
 Red, windage adjustable  
 265 58 96

**08 WALTHER OP-6 tactical white light OP-6, 6 volts**  
 Suitable for pistol mounting, Switch for on/off/flash  
 269 31 27

**09 WALTHER OV-1 white light, 6 volts**  
 Small, high-power white light, knurled, with attachment clip  
 269 31 19

**In-line cord switch for OP-6 white light**  
 269 31 35 (not illustrated)

**Mount for OP-6 white light and other 1" diameter lamps**  
 For Weaver-style rail  
 269 31 43 (not illustrated)

**10 Impuls II silencer set**  
 Sound attenuation: exceeds 33 dBA Set contains the silencer, 117 mm barrel for the P99, Protective cap for the barrel threading and soft carrying case  
 264 70 87 (not available in USA)



10



15



16



17

**17 Mod. M5 illuminator**  
by Insight Technology  
6 volt white light with  
quick-attach mounting catch.  
Dimensions: 8.6 x 4 x 3.8 cm.  
Weight: 94 g incl. batteries  
267 78 73



14

**11 ASP halogen white light**  
Length: 3.7 cm, diameter: 3.6 cm,  
weight: 150 g (without batteries)  
264 31 46

**12 White light mount for magazine  
butt plate**  
Made of polymer,  
with quick-attach butt plate  
265 56 59 (not available in USA)

**Lasers and lights for  
the P99 made after 2004,  
with Weaver-style rail**

**13 BA-7 laser**  
Class IIIa laser, 635nm, with  
quick-attach mounting catch for  
mounting on Weaver-style rail  
269 30 62

**14 LASER BLAST white light  
with laser**  
6 volt (two DL 123A),  
class IIIa laser, 635nm.  
Weight: 209 g with battery,  
with quick-attach  
mounting catch  
269 30 71

**15 Universal LAS/TAC II lamp**  
6 volt (two DL 123A),  
with quick-attach  
mounting catch  
269 30 89

**16 Universal LAS/TAC III laser**  
Class III laser, 635nm,  
2 x 3-Volt DL123A,  
with quick-attach  
mounting catch  
269 30 97



# PPK + PPK/S

Often imitated but never duplicated: The elegant lines of the legendary WALTHER PPK have caught the imagination of the entire world for nearly 75 years. Developed in 1931, the WALTHER PPK continues to thrill the shooting public, and the legend lives on. The PPK/S, with a longer frame for one additional cartridge, and the PPK are now both produced in the USA, under licence.

## PPK and PPK/S features

- Firing pin safety
- Manual safety with decocking function
- Double Action and Single Action trigger
- Extended beaver tail



## Technical data

Model	PPK	PPK	PPK/S
Caliber	7,65 mm	9 mm short	9 mm short
Barrel Length inch (mm)	3.3 (83)	3.3 (83)	3.3 (83)
Dimensions mm, L/H/W	155/100/25	155/100/25	155/109/25
Weight g, without magazine	590	590	635
Sights	Fixed	Fixed	Fixed
Magazine Capacity	7	6	7
Trigger	DA/SA	DA/SA	DA/SA
Trigger Weight g	6,200/1,800	6,200/1,800	6,200/1,800



### PPK stainless

269 34 70 cal. 7,65 mm / .32 ACP  
 269 34 88 cal. 9 mm short / .380 ACP



### PPK blue

269 34 96 cal. 9 mm short / .380 ACP



**PPK/S stainless**

266 96 09 cal. 9 mm short / .380 ACP



**PPK/S two-tone**

264 47 89 cal. 9 mm short / .380 ACP



# P22

## Action & Fun

Whether you are looking for a pistol for affordable training or simply the excitement of shooting, the P22 is the pistol for you. The WALTHER P22 is fascinating in its compact size, while still maintaining all of the features of a full-size pistol. Constructed using a modular manufacturing concept, the P22 offers several different equipment configurations. The barrel can be changed out or a red dot sight can be mounted – almost instantly.

## Features of the P22

- Interchangeable frame back straps create an ideal fit to the shooter's hand
- Compact design and light-weight are achieved by a modern polymer frame (just 480 g, including the magazine)
- Traditional double-action operation
- Ambidextrous controls for both left and right hand shooters
- Integrated trigger lock, loaded chamber indicator
- Magazine disconnect, hammer safety and firing pin safety for safe and reliable operation
- Modern, eye catching high tech design
- A fixed barrel for incredible accuracy
- Windage adjustable rear sight and elevation adjustment with interchangeable front sights for variations in shooter operation
- Interchangeable barrel (sold separately) can convert the P22 from the standard configuration to the target version in minutes.

## Technical Data

Model	P22	P22 Target
Caliber	.22 l.r.	.22 l.r.
Barrel Length inch (mm)	3.4 (87)	5 (127)
Dimensions mm, L/H/W	159/114/29	199/114/29
Weight g, without magazine	430	530
Sights	3-dot adjustable	3-dot adjustable
Magazine Capacity	10	10
Trigger	DA/SA	DA/SA
Trigger Weight g	5,000/2,000	5,000/2,000



## P22

**265 92 39** 10 shots cal. .22 l.r.

87-mm-barrel



## P22 Nickel

**266 90 13** 10 shots cal. .22 l.r.



## P22 Target

**265 92 55** 10 shots cal. .22 l.r.

The P22 Target uses the same technology as the P22 Standard, however the barrel length is now 127 mm / 5" (therefore extending the line of sight by 40 mm). The longer sight radius provides for more concentrated aiming during target shooting, ergo resulting in better scores. The P22 Target also is equipped with a barrel weight / non functional compensator.



## P22 Target Nickel

**266 90 21** 10 shots cal. .22 l.r.



**Loaded chamber indicator**

The notch on the top of the barrel shows whether a cartridge is in the chamber.



**Magazine release**

Molded to the same contour as the trigger guard, prevents the magazine from being unintentionally released from the weapon. The ambidextrous magazine release can be operated equally well by either right or left-handed shooters.



**Back strap and magazine butt plates**

Two interchangeable grip back straps, and two different magazine butt plates, allow for customization based on the shooter's hand size.



**Integrated lock with key**

A specially designed key locks the trigger in the P22 and thus prevents use by unauthorized persons.



# P22

## Perfectly matched accessories

WALTHER offers an extensive line of accessories for the P22, allowing the user to equip the P22 to suit the individual needs. The same high quality that goes into the production of each P22 also goes into each P22 accessory.



### Conversion unit Target

**265 93 01** cal. .22 I.r.

The P22 Standard with its short barrel can be converted to a Target version with a 127 mm match barrel and barrel weight. This change can be performed in seconds

### Conversion unit Standard

**265 92 98** (not illustrated) cal. .22 I.r.

Makes the conversion from the Target into the Standard version possible



### Silencer SD22

**267 61 33** (not available in the USA)

Dry silencer developed especially for the P22, with attenuation exceeding 20 dB. The silencer can be mounted or removed almost instantly using the barrel adapter supplied. Dimensions: 155 x 27 mm. Weight: 205 g



### Red-dot sight TOP POINT II

**267 61 50** red-dot sight

The intensity of the dot can be regulated in 12 settings. Includes Weaver-style scope rings and dust caps



### Bridge mount with Weaver-style rail

**265 93 28**

Fits the WALTHER Top Point II red-dot sight. Can be easily attached to the Weaver-style rail on the P22 frame

### P22 Holster

<b>266 90 72</b>	Pancake holster, leather	(not illustrated)
<b>266 90 81</b>	Universal holster, leather	(not illustrated)
<b>267 09 09</b>	Paddle holster, Kydex	(not illustrated)
<b>267 09 17</b>	Belt holster, Kydex	(not illustrated)
<b>267 61 76</b>	ABS case, black	(not illustrated)



P22 Set I



### P22 Set I with red-dot and silencer

**267 42 03** 10 shots cal. .22 I.r.

The barrel adapter permits quick attachment and removal of the specially-designed silencer. Thanks to the bridge mount and the Top Point II red-dot sight, precise shooting is possible even with the silencer attached. Includes silencer, barrel adapter, interchangeable target barrel with barrel weight, Top Point II red-dot sight with scope rings, bridge mount and polymer case (not available in the USA)

### P22 Set II with red-dot

**267 42 11** 10 shots cal. .22 I.r.

Includes all items in set I, **except** the silencer

### P22 Set III with laser

**269 28 21** 10 shots cal. .22 I.r.

P22 with 3.4" barrel and factory installed WALTHER quick-release laser, targeted for 15 m

All the sets are mounted and calibrated at the factory.



P22 Set III

# SETS



P22 Set II

## WALTHER laser for the P22

269 28 30

The laser was developed especially for the P22 and is designed to be a perfect fit. The quick-release catch allows the laser to be mounted or removed instantly without the need for additional tools. LEDs on either side of the laser, illuminate indicating that the laser is on



### Technical data laser

Laser class	USA: IIIa / Europe: IIIb
Wavelength nm	630
Range m	50
Batteries	Two coin cells 1,5 V Type SR44
Weight g	35
Dimensions mm	48 x 27 x 39
Standard equipment incl.	batteries and adjustment wrench



# G22

## Semi Auto Rifle

WALTHER continues its long-standing tradition of manufacturing small-bore rifles that have won numerous gold medals in the Olympic games and at World Championship matches with the introduction of the new WALTHER G22.

The WALTHER G22 employs an innovative "Bullpup" design for the first time on any WALTHER rifle. The G22 with its full line of accessories is a utilitarian rifle for hunting, competitive shooting, or just plinking.

## G22 details

- Fire control and magazine integrated into the rear of the stock
- This gives an extremely short overall length of 720 mm in spite of the optimal 508 mm barrel length
- The first small-bore rifle in this class available in a genuine left-hand version
- Variable-length stock for a custom fit to the shooter. A 20 mm extension is included
- Adjustable sliding sights
- Weaver-style universal rail at the sight mount to accept optics
- Weaver-style universal rail at the front sight mount to accept the WALTHER laser
- Weaver-style universal rail at the forearm for a bipod or other accessories
- **WALTHER Safety Package** provides a maximum degree of safety during use and when in storage. Consisting of a slide safety, cocking indicator, magazine safety and integral lock to protect against unauthorized use.



### Slide safety

The ambidextrous safety is in a convenient location for use and easy accessibility. Two tabs are clearly visible, even when the weapon is raised, indicating whether the safety is engaged.



### Integrated lock

The internal lock is located next to the slide safety and can be used to lock the rifle. The key is identical to the key for the P22 pistol.



**Cocking indicator**

The red indicator in the fire control housing indicates whether the rifle is cocked.

**Magazine disconnect** (not illustrated)

Prevents firing with the magazine removed.

**Magazine release**

Integrated into the stock; permits rapid magazine exchanges. An additional magazine is located in the stock.

**Multi-functional**

Weaver-style rails, mounted on the forearm and front sight mount in the standard configuration, permit the attachment of lights, lasers, a bipod or other accessories. The non-slip, soft touch pads aid in properly positioning the rifle.

**Sliding rear sight**

Located in the carrying grip for protection, the sliding rear sight is activated only as required.

**Weaver-style rail**

For mounting of various aiming devices.

# G22



## G22

269 26 51	With right-hand controls, black
269 26 78	With left-hand controls, black

## Technical data G22

Caliber	.22 l.r.
Barrel Length inch (mm)	20 (508)
Dimensions mm, L/H/W	720 – 750 / 220 / 55
Weight g, without magazine	2,700
Sights	adjustable
Magazine Capacity	10
Trigger	SA

## G22 Military

269 26 60	With right-hand controls, green
269 26 86	With left-hand controls, green



## Laser for the G22

269 27 41

## Laser for the G22

Developed by WALTHER especially for the G22, the high-power laser diode is designed to function as an integral part of the rifle.

The LEDs on either side of the laser unit indicate the operating status.

The laser is securely mounted on the Weaver-style rail, below the front sight mount with the help of two horizontal studs – for maximum accuracy and durability.

## Technical data laser

Laser class	USA: IIIa / Europe: IIIb
Wavelength nm	630
Range m	50
Battery type	Two coin cells 1,5 V type SR44
Weight g	76
Standard equipment incl. batteries and adjustment wrench	

# ACCESSORIES

The WALTHER G22 accessories are designed to provide the hunter or recreational shooter with a G22 to suit their individual shooting requirements. All of the G22 accessories are produced to the same high standards as the WALTHER G22 and are designed to perform together.



**01 WALTHER rifle scope 3-9x40 RA**  
With mil-dot reticle,  
rings for Weaver-style rail included  
**269 27 32** Rubber sheathed

**02 WALTHER rifle scope 3-9x40**  
No. 8 reticle, mounts not included  
**2.1501**

**03 WALTHER G22 point sight PS22**  
A red-dot sight system provides fast and accurate target acquisition, at short to medium distances. Includes a quick-release monopod for Weaver-style rail  
**269 35 00**

**04 Red-dot sight, TOP POINT II**  
Red-dot is adjustable for 12 intensity levels, rings for Weaver-style rail and dust caps included  
**267 61 50**

**Weaver-style rail**  
Extends the sights farther to the rear for a longer sight radius  
**269 27 91** (not illustrated)

**05 Silencer SD22**  
Dry silencer, noise attenuation exceeds 20 dB, silencer can be installed or removed almost instantly thanks to the barrel adapter.  
Dimensions: 155 x 27 mm. Weight: 205 g  
**267 61 33** (not available in the USA)

**06 G22 rifle sling**  
**269 27 75**

**G22 sling swivel set**  
**269 27 83** (not illustrated)

**07 G22 rifle case**  
Soft side rifle case with both interior and exterior compartments for G22 accessories  
**269 27 59** (without accessories)





# G22 SETS

WALTHER has packaged some of the most popular accessories with the G22 to provide added value. Packages range from factory mounted lasers to optics. All of the packages are tested in our factory to provide the highest quality.



**G22 black A1 package  
with WALTHER rifle scope**

269 26 94

Factory mounted WALTHER rifle scope, 3-9x40 RA (rubber armored), mil-dot reticle, targeted at 50 m



**G22 black A2 package with laser**

269 27 08

Factory mounted G22 laser, targeted at 50 m



**G22 black A3 package  
with WALTHER rifle scope and laser**

269 27 16

Factory mounted WALTHER rifle scope, 3-9x40 RA, mil-dot reticle, WALTHER G22 laser, targeted at 50 m



**G22 black A4 package  
with WALTHER PS22 red-dot sight**

269 27 24

Factory mounted WALTHER G22 point sight PS22, targeted at 50 m





# P99

## Collector's Series

WALTHER engraved pistols are a true work of art, coveted by collectors worldwide. Owning one of these legendary P99 models with distinctive hand engraving performed by one of our master engravers is sure to be the pride of any firearms collector.




**P99 Grade I**  
Arabesques



**P99 Grade II**  
Goldline



**P99 Grade III**  
Arabesques with gold



# KNIVES

## 01 Hunting Knife

The blade is manufactured from 440C stainless steel; thumb groove on the back of the blade; includes a Cordura sheath. Blade length: 120 mm. Overall length: 245 mm

5.2180

## 02 P99 Tactical Knife

Fixed blade made of 440C stainless steel; serrations on the back of the blade; includes a Cordura belt sheath or shoulder holster.

Blade length: 140 mm. Overall length: 275 mm

5.2179

## 03 Lasercut P99

Compact folding knife, laser-cut P99 contour in the Tanto blade to honor the WALTHER P99. Blade made of stainless steel; slip-resistant Zytel grip. Blade length: 75 mm. Overall length: 175 mm

5.8212

## 04 Tactical Knife II

Modern folding knife with one hand operation, aluminum body and lockable blade made from 420 stainless steel; thumb groove on the back of the blade; "inliner" look; belt clip. Blade length: 70 mm. Overall length: 180 mm

5.0712



# LIGHTS



## 05 WALTHER high-power halogen white light set

Includes case, in-line cable switch, shoulder holster, batteries, filter cap and spare bulb

3.7104 titanium

## 06 WALTHER xenon tactical white light

3.7000 black

3.7001 titanium

## Mount for xenon tactical and other 1" white lights

2.1663 (not illustrated)

## 07 WALTHER OV-1 white light, 6 volts

Small, high-power white light, knurled, with attachment clip

269 31 19



A MEMBER OF  
THE UMAREX-GROUP

TRADITION OF INNOVATION

**Vertrieb / Sales / Distribution**

Carl Walther GmbH Sportwaffen  
P.O.Box 2740, D-59717 Arnsberg  
Germany

Tel. +49 29 32/6 38-100  
Fax +49 29 32/6 38-149  
sales@carl-walther.de  
www.carl-walther.de

**Service / Technik**

Carl Walther GmbH Sportwaffen  
P.O.Box 4325, D-89033 Ulm  
Germany

Tel. +49 7 31/15 39-0  
Fax +49 7 31/15 39-170